



SUPPLEMENTAL TABLES

Nutrition Education and Dietetics Infant, Child, and Adolescent Nutrition

Sex and income level can be determinants for meat attachment behavior among turkish university students

Elif Günalan^{1,2} , Ayhan Parmaksız³ , Hayrettin Mutlu¹

¹ İstanbul Health and Technology University, Faculty of Health Science, Department of Nutrition and Dietetics. İstanbul, Türkiye elif.gunalan@istun.edu.tr hayrettin.mutlu@istun.edu.tr

² İstanbul Health and Technology University, Institute of Graduate Education, İstanbul, Türkiye

³ İstanbul Health and Technology University, Faculty of Medicine, Department of Biostatistics. İstanbul, Türkiye ayhan.parmaksiz@istun.edu.tr

Supplemental Table S1. Item analysis of Turkish version of MAQ

	Mean ± SD	All Item Correlation	CA When Item Deleted
Hedonism	3.46 ± 1.23		
- @1	3.62 ± 1.34	0.80	0.88
- @5	3.63 ± 1.33	0.84	0.87
- @8	3.52 ± 1.41	0.72	0.91
- @10	3.06 ± 1.48	0.82	0.87
Affinity	4.39 ± 0.79		
- @4	4.33 ± 1.15	0.46	0.74
- @6	4.49 ± 1.01	0.63	0.63
- @13	4.56 ± 0.90	0.47	0.72
- @14	4.18 ± 1.12	0.60	0.65
Entitlement	3.99 ± 0.98		
- @3	4.11 ± 1.05	0.52	0.76
- @7	3.85 ± 1.32	0.64	0.63
- @15	4.0 ± 1.20	0.64	0.62
Dependence	3.08 ± 1.13		
- @2	2.94 ± 1.36	0.71	0.83
- @9	3.90 ± 1.21	0.52	0.87
- @11	2.63 ± 1.42	0.76	0.82
- @12	3.20 ± 1.55	0.75	0.82
- @16	2.73 ± 1.46	0.68	0.83
Global Score	3.67 ± 0.85		
- @1	3.617 ± 1.34	0.77	0.90
- @2	2.939 ± 1.36	0.72	0.90
- @3	4.112 ± 1.047	0.57	0.91
- @4	4.332 ± 1.154	0.32	0.92
- @5	3.626 ± 1.329	0.82	0.90
- @6	4.491 ± 1.01	0.48	0.91
- @7	3.85 ± 1.324	0.44	0.91
- @8	3.523 ± 1.413	0.76	0.90
- @9	3.897 ± 1.21	0.62	0.91
- @10	3.056 ± 1.484	0.78	0.90
- @11	2.626 ± 1.418	0.65	0.91
- @12	3.196 ± 1.55	0.70	0.90
- @13	4.556 ± 0.896	0.33	0.92

- @14	4.178 ± 1.12	0.43	0.91
- @15	3.995 ± 1.201	0.54	0.91
- @16	2.734 ± 1.46	0.59	0.91

Supplemental Table S2. Comparison of sex, BMI and income level according to GES sub-dimensions.

	BEH	DB_Pro	DB_Cons	SE_at school	SE_at home
Sex					
- Female (n = 162)	2.9 ± 0.9	3.67 ± 0.92	3.16 ± 0.84	2.31 ± 0.87	3.18 ± 1.11
- Male (n = 52)	2.98 ± 0.88	3.18 ± 1.01	3.03 ± 0.94	2.32 ± 1.1	3.1 ± 1.3
p-value	0.61	0.001*	0.37	0.98	0.64
Body Mass Index					
- Underweight (n = 37)	3.0 ± 0.73	3.47 ± 0.98	3.23 ± 0.71	2.32 ± 1.03	2.94 ± 1.31
- Normal (n = 145)	2.96 ± 0.9	3.58 ± 0.96	3.08 ± 0.91	2.32 ± 0.92	3.22 ± 1.11
- Overweight + Obese (n = 32)	2.68 ± 1.01	3.49 ± 0.98	3.23 ± 0.81	2.26 ± 0.89	3.13 ± 1.16
p-value	0.257	0.754	0.519	0.947	0.412
Income Level					
- Income < Expenses (n = 80)	2.8 ± 0.88	3.53 ± 0.97	3.19 ± 0.97	2.26 ± 1.03	3.09 ± 1.24
- Income = Expenses (n = 102)	2.95 ± 0.93	3.51 ± 1.0	3.08 ± 0.77	2.32 ± 0.81	3.15 ± 1.08
- Income > Expenses (n = 32)	3.14 ± 0.78	3.73 ± 0.84	3.13 ± 0.86	2.43 ± 1.04	3.39 ± 1.15
p-value	0.171	0.507	0.738	0.702	0.458